



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznīcas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIJA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

Not Rated Yet

Sales price 25,95 €

Salesprice with discount

Incl. VAT 21%: 4,50 €



Description

ACME Clicker No. 470 – Authentic Brass Signal Clicker

ACME Clicker No. 470 is the original, historically significant brass clicker famous for its distinctive sound and robust construction. Made from polished solid brass with a high-quality spring steel mechanism, this clicker is loud, reliable, and built for long-term use. Each piece is supplied in a nostalgic presentation box and includes a **certificate of authenticity**.

Aim of the Product

This clicker is designed as a durable and precise sound signal device for training animals such as dogs and horses, while also serving as a collectible item with genuine historical military significance.

Audience

- Dog trainers and animal behavior specialists
- Equestrian trainers
- Military history enthusiasts and collectors



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznīcas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIJA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

- Reenactors and WWII memorabilia collectors
- Users seeking a durable, mechanical sound signal device

Key Features

- Original **ACME No. 470** clicker design
- Solid polished brass body
- High-quality spring steel mechanism
- Loud, crisp, and reliable click sound
- Extremely durable construction for long-term use
- Supplied with **certificate of authenticity**
- Packaged in a nostalgic presentation box

Historical Background

The ACME Clicker No. 470 gained historic importance during the **Normandy invasion (D-Day) on 6 June 1944**. Allied airborne troops used specially issued brass clickers as a covert audio identification signal in darkness. A single click was answered by a double click, allowing friendly forces to recognize each other silently behind enemy lines. Remarkably, this clicker is still produced today using the **original tooling and presses**.

Specifications

- **Model:** ACME Clicker No. 470
- **Material:** Solid polished brass
- **Mechanism:** Spring steel
- **Dimensions:** 4.9 × 2.4 × 1.5 cm
- **Finish:** Polished brass
- **Sound:** Mechanical click (no electronics)

Package Contents

- 1 × ACME Clicker No. 470 (solid brass)
- 1 × Certificate of authenticity
- 1 × Nostalgic presentation box

Care & Maintenance

- Wipe clean with a dry or slightly damp cloth
- Polish brass occasionally to maintain shine, if desired
- Avoid prolonged exposure to moisture to prevent patina if a polished look is preferred
- No lubrication required under normal use

Regulations & Standards



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznīcas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIJA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

- Mechanical sound device – no batteries or electronics
- Manufactured according to long-established ACME production standards

Glossary

- **Clicker training:** A positive reinforcement training method using sound as a precise marker
- **D-Day:** The Allied invasion of Normandy on 6 June 1944 during World War II
- **Spring steel:** High-carbon steel known for elasticity and long service life

Manufacturer Details (GPSR Compliance)

J. Hudson & Co (Whistles) Ltd
244 Barr Street
Birmingham B19 3AH, United Kingdom
Phone: +44 121 554 2124
Website: www.acmewhistles.co.uk

Responsible Person in the EU (GPSR Compliance)

Romneys
Mühlehauden 1
31848 Bad Münde, Germany
Phone: +49 5042 969900
Website: www.acmewhistles.co.uk

© J. Hudson & Co (Whistles) Ltd / Romneys. Specifications and materials may change without notice for product improvement.