



Online store [WWW.LYNXGEAR.LV](http://WWW.LYNXGEAR.LV)  
Company: SIA LATLYNX  
info@lynxgear.lv, +371 26159668  
Reg. No. 45403038162, VAT Reg. No.  
LV45403038162,  
Legal address: Baznicas iela 8,  
Aizkraukle, Aizkraukles novads,  
LV-5101, LATVIA  
Bank Account: LV87UNLA0050021387494  
AS SEB Bank, SWIFT: UNLALV2X

## ORDER CONFIRMATION

Not Rated Yet



**Sales price 5,49 €**

Salesprice with discount  
Incl. VAT 21%: 0,95 €



Cell chemistry	Alkaline
Nominal voltage	9 V
Cell size	E / 6LR61
Number of cells per pack	1
Shelf life	Up to 7 years
Operating temperature	-10 to +50 °C
Recommended storage temperature	5 to 25 °C
Heavy metals	Mercury- and cadmium-free
Packaging type	Paper blister
Main applications	Measuring instruments, cameras, flashlights, MP3 players, handheld games, outdoor sensors, GPS devices

## Care and Maintenance

- Store batteries in a cool, dry place between 5 and 25 °C.
- Do not expose to direct sunlight, open flames or high temperatures.
- Insert batteries correctly according to polarity (+/-) in the device.
- Remove batteries from devices that will not be used for a long period.
- Do not attempt to recharge alkaline batteries.
- Do not short-circuit, disassemble or incinerate the battery.
- Dispose of used batteries via appropriate collection points in accordance with local regulations.



Online store [WWW.LYNXGEAR.LV](http://WWW.LYNXGEAR.LV)  
Company: SIA LATLYNX  
info@lynxgear.lv, +371 26159668  
Reg. No. 45403038162, VAT Reg. No.  
LV45403038162,  
Legal address: Baznicas iela 8,  
Aizkraukle, Aizkraukles novads,  
LV-5101, LATVIA  
Bank Account: LV87UNLA0050021387494  
AS SEB Bank, SWIFT: UNLALV2X

## **ORDER CONFIRMATION**

### **Regulations and Standards**

- Tested for compliance with electrical, thermal, geometric and safety-related regulations.
- Subjected to stringent quality tests in Germany and Asia to ensure consistent performance.
- Complies with European and international standards relevant to alkaline primary cells.
- Mercury- and cadmium-free in line with environmental and safety requirements.

### **Other Useful Information**

The X-Power series from Ansmann is designed for users who need reliable power with a strong price-to-performance ratio. The 9V E / 6LR61 format is commonly used in measuring devices, detectors and small electronic equipment, making this battery a good choice both for everyday operation and for emergency backup. Thanks to its long shelf life, it can be stored in household drawers, toolboxes, service vehicles or emergency kits and still provide reliable power when required.

Ansmann's internal quality control engineers continuously monitor compliance with European and international approvals, so each X-Power battery delivers consistent performance. The combination of large operating temperature range and long-term durability makes it suitable for a wide variety of environments.

### **Glossary of Terms**

- **Alkaline battery:** A primary (non-rechargeable) battery using alkaline electrolyte, known for good capacity and shelf life.
- **9V E / 6LR61:** A standard rectangular 9V battery size commonly used in small electronic devices and detectors.
- **Shelf life:** The period during which a stored battery retains most of its original capacity if kept under recommended conditions.
- **Primary cell:** A non-rechargeable battery designed for one-time use until discharged.

### **Downloads, Manuals, Certificates**

- [Manufacturer online shop and product information](#)
- [Product safety image and packaging information](#)

### **Manufacturer and Contact Information**

**Manufacturer:** ANSMANN AG

**Address:** Industriestr. 10, 97959 Assamstadt, Baden-Württemberg, Germany

**Phone:** 06294 42040

**Website:** [www.ansmann.de](http://www.ansmann.de)

**Email:** This email address is being protected from spambots. You need

