



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznicas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIJA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

Not Rated Yet



Sales price 1699,95 €

Salesprice with discount
Incl. VAT 21%: 295,03 €

Interior: 120.8 × 61.1 × 44.9
cm Exterior: 129.7 × 70 × 57.9
cm



Description

PELI 0550 Protector Transport Case

- **Massive storage capacity:** Over 11 ft³ (0.311 m³)
- **IP55 certified:** Resistant to rain, dirt, and dust
- **Forklift, wheel, or hand transport ready**
- **Stacking optimized:** Six cases per 463L military pallet, 18 when stacked
- **Durable build:** Reinforced honeycomb lid and deck
- **Military-tested:** Meets MIL STD 810G fungus resistance
- **Peli Lifetime Guarantee***

The **PELI 0550 Protector Transport Case** is designed for professionals who need to **move, store, and protect large volumes of equipment** in the harshest conditions. With over 11 cubic feet (0.311 m³) of storage, this transport case is ideal for **military, industrial, construction, and field operations**. Its **reinforced honeycomb deck and lid** support heavy loads and allow for stable stacking on standard 463L pallets, making it a true workhorse for global deployment.

Built with Peli's legendary **open cell core and solid wall design**, the case is both lightweight and extremely strong. The **dual integrated automatic pressure equalization valves** ensure smooth opening at any altitude, while the **O-ring seal** guarantees **IP55-rated resistance** against water and dust.



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznicas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

Heavy-duty **metal lidstays** keep the case open safely during loading, while **double-throw latches** and **stainless steel hardware** provide security and long-term durability.

The **PELI 0550** is the ultimate solution for:

- **Military logistics teams** transporting mission-critical equipment worldwide.
- **Construction and engineering companies** needing rugged storage for tools, instruments, and electronics.
- **Emergency response units** requiring quick access to organized gear in adverse conditions.
- **Industrial and offshore operations** where durability and water/dust protection are critical.

This transport case is engineered for **extreme environments and heavy-duty use**. It can be moved:

- **By forklift:** Reinforced base structure supports heavy handling.
- **By caster wheels:** Optional kit available with integrated brakes.
- **By hand:** Ergonomic double-wide grips for team lifting.

It also supports **document storage in an external container**, giving operators quick access to manuals, manifests, or mission paperwork without opening the main compartment.

Specifications

Interior Dimensions	120.8 × 61.1 × 44.9 cm
Exterior Dimensions	129.7 × 70 × 57.9 cm
Lid Depth	8.1 cm
Bottom Depth	36.8 cm
Total Depth	44.9 cm
Interior Volume	0.332 m ³
Padlock Hole Diameter	0.8 cm
Weight With Foam	43.1 kg
Weight Empty	35.9 kg
Buoyancy	371.9 kg
Body Material	Polypropylene
Latch Material	ABS
O-Ring Material	Polymer
Pins Material	Stainless Steel
Purge System	ABS body, 3 Micron Hydrophobic Non-Woven vent
Minimum Temperature	-40°F / -40°C
Maximum Temperature	190°F / 88°C
Certifications	Zone 20

Approvals & Certifications

- **MIL STD 810G Fungus Test:** [View Certificate](#)



Online store WWW.LYNXGEAR.LV
Company: SIA LATLYNX
info@lynxgear.lv, +371 26159668
Reg. No. 45403038162, VAT Reg. No.
LV45403038162,
Legal address: Baznicas iela 8,
Aizkraukle, Aizkraukles novads,
LV-5101, LATVIJA
Bank Account: LV87UNLA0050021387494
AS SEB Bank, SWIFT: UNLALV2X

ORDER CONFIRMATION

- **Zone 20 Certification:** For use in hazardous or industrial environments.

Note: Peli's lifetime guarantee applies where permitted by law.

Downloads

[Download Spec Sheet \(.pdf\)](#)

Manufacturer

Peli Products, S.L.U.
c/ Provença, 388, Planta 7
08025 Barcelona, Spain

Customer support: [Contact Page](#)

© Peli Products S.L.U. Specifications may change without notice for product improvement.
